



### AquaGlide™ 155 Metalworking Coolant

#### Description

**AquaGlide™ 155** is a moderate to heavy duty water soluble coolant that offers excellent performance in surface finishes and tool life in most shop operations.

**AquaGlide™ 155** is designed for light- to heavy-duty applications in general machining and sawing operations. It is excellent for use on ferrous metals, including stainless steel, as well as on non-ferrous metals.

**AquaGlide™ 155** contains chlorine-free additives that provides the same extreme pressure performance of chlorinated paraffins, without the issues of disposal.

#### Refractive Index

Concentration Percent	Dilution Ratio	Refractometer Reading
3%	33:1	3
4%	25:1	4
5%	20:1	5
6%	16:1	6
7%	14:1	7
8%	12:1	8
9%	11:1	9
10%	10:1	10

#### Typical Properties

Appearance	Amber Liquid
Sulfur	Nil
Chlorine	Nil
Petroleum Oil	Yes
Water Solubility	Complete
Pour Point, °F	-10
Density	7.8 to 8.0 Lbs. per Gallon
Flash Point, °F	>350

#### Features/Benefits

- ✓ **Moderate to Heavy Duty Water Soluble**  
Excellent performance in surface finishes and tool life.
- ✓ **Excellent Performance on both Ferrous and Non-Ferrous Metals, Including Stainless Steel.**
- ✓ **Contains Chlorine-Free Additives**  
Provides extreme pressure performance of chlorinated paraffins, without the issues of disposal.
- ✓ **General Machining and Sawing Operations**  
Ideal for light to heavy duty applications