

Issue Date 01-Mar-2013

Revision Date 29-Sept-2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Premium 300 Way Lube

Other means of identification

Product Code 415
Revision Number 2821
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

U.S. Lubricants A Division of U.S. Venture, Inc. 425 Better Way Appleton, WI 54915

Emergency telephone number

Company Phone Number 800-490-4900
24 Hour Emergency Phone Number 800-424-9300 (CHEMTREC 705487)

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2B |
|-----------------------------------|-------------|

Label elements

Emergency Overview

Warning

Hazard statements
Causes eye irritation

Appearance Viscous

Physical state Liquid

Odor Mild Petroleum

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses (if present and easy to do). Continue rinsing.
If eye irritation persists: Get medical advice/attention

- May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|--|------------|----------|--------------|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | 45-55 | * |

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

| | |
|---------------------|--|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin Contact | If skin irritation persists, call a physician. Wash contaminated clothing before reuse. Wash with soap and water. |
| Inhalation | Remove to fresh air. |
| Ingestion | Do NOT induce vomiting. Get medical attention. Drink 1 or 2 glasses of water. |

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

UNUSUAL FIRE & EXPLOSION HAZARDS

Toxic Fumes may be evolved on burning or exposure to heat. Pressure may increase in overheated closed containers. Store below 120°F

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Stop leak if you can do it without risk.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Prevent product from entering drains. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing fume/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a dry, cool and well-ventilated place. Store at temperatures not exceeding 120°F.

Incompatible materials Incompatible with oxidizing agents. Incompatible with strong acids and bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective nitrile or Neoprene™ gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|---------|-----------------------|--------------------------|
| Physical state | Liquid | Odor | Mild Petroleum |
| Appearance | Viscous | Odor threshold | No information available |
| Color | Amber | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|-------------------------------|--|-------------------------|
| pH | Essentially Neutral | |
| Melting point/freezing point | No information available | |
| Boiling point / boiling range | No information available | |
| Flash point | 410°F | |
| Evaporation rate | Less than 0.01 (@1ATM and 25°C. n-butyl acetate=1 | |
| Flammability (solid, gas) | No information available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | 10% (Estimated Value) | |
| Lower flammability limit: | 1% (Estimated Value) | |
| Vapor pressure | Less than 0.01 mm HG | |
| Vapor density | Greater than 1 (Air=1) | |
| Specific Gravity | 0.871 lbs/gal: 7.25 | |
| Water solubility | Insoluble in water | |
| Solubility in other solvents | No information available | |
| Partition coefficient | No information available | |
| Autoignition temperature | No information available | |
| Decomposition temperature | No information available | |
| Kinematic viscosity | 66-70 cSt @40°C | |
| Dynamic viscosity | No information available | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |

Other Information

| | |
|------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content (%) | Negligible |
| Density | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY**Reactivity**

Not Applicable

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Strong oxidizing agents. Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents. Incompatible with strong acids and bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

| | |
|---------------------|-------------------|
| Product Information | No data available |
|---------------------|-------------------|

| | |
|---------------------|--|
| Inhalation | Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| Eye contact | Contact with eyes may cause irritation. |
| Skin Contact | Prolonged contact may cause redness and irritation. |
| Ingestion | Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhea. |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | Irritating to skin. |
| Serious eye damage/eye irritation | Irritating to eyes. |
| Irritation | May cause skin and eye irritation. PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION. |
| Sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|--------------------------------------|------------|
| ATEmix (oral) | 4004 mg/kg |
| ATEmix (inhalation-gas) | 1400 mg/l |
| ATEmix (inhalation-dust/mist) | 3 mg/l |

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life with long lasting effects

0.003% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|----------------------|--|----------------------------|------------------------------------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | | 1000: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------------|---|
| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |

14. TRANSPORT INFORMATION

| | |
|--------------------------|---------------|
| <u>DOT</u> | Not regulated |
| <u>ICAO (air)</u> | Not regulated |
| <u>IATA</u> | Not regulated |

15. REGULATORY INFORMATION

International Inventories

| | |
|----------------------|---|
| TSCA | All components of this material are on the US TSCA Inventory or are exempt. |
| DSL/NDSL | Does not comply |
| EINECS/ELINCS | Does not comply |
| ENCS | Does not comply |
| IECSC | Does not comply |
| KECL | Does not comply |
| PICCS | Does not comply |
| AICS | Does not comply |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

| | | | | |
|--------------------|------------------|----------------|--------------------|------------------------------------|
| <u>NFPA</u> | Health hazards 1 | Flammability 1 | Instability 0 | Physical and Chemical Properties - |
| <u>HMIS</u> | Health hazards 1 | Flammability 1 | Physical hazards 0 | Personal protection X |

Issue Date 01-Mar-2013
 Revision Date 29-Sept-2015

Revision Note
 No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet