

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Nexeo Solutions	Regulatory Information Number	1-800-325-3751
PO Box 2458	Telephone	1-800-531-7106
Columbus, OH 43216	Emergency telephone number	1-855-639-3648

Product name WINDSHIELD WASH PRE-MIX

Product code 16008286
Product Use Description No data

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid

WARNING! FLAMMABLE LIQUID AND VAPOR. MAY AFFECT THE CENTRAL NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA. MAY BE HARMFUL IF INHALED. HARMFUL IF SWALLOWED. MAY CAUSE BLINDNESS. PROLONGED OR REPEATED CONTACT MAY DRY THE SKIN AND CAUSE IRRITATION AND BURNS.

Potential Health Effects

Exposure routes

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye contact

May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin contact

May cause mild skin irritation. Symptoms may include redness and burning of skin. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, skin burns, and other skin damage.

Ingestion

Swallowing this material may be harmful.

SAFETY DATA SHEET

Revision Date: 06/16/2011

Print Date: 4/18/2012

MSDS Number: 000000084846

Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

Inhalation

Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: Skin, lung (for example, asthma-like conditions), Liver, Kidney, Central nervous system, pancreas, Heart, Exposure to this material may aggravate any preexisting condition sensitive to a decrease in available oxygen, such as chronic lung disease, coronary artery disease or anemias.

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness), muscle cramps, pain in the abdomen and lower back, Blurred vision, Shortness of breath, cyanosis (causes blue coloring of the skin and nails from lack of oxygen), visual impairment (including blindness), coma

Target Organs

Exposure to lethal concentrations of methanol has been shown to cause damage to organs including liver, kidneys, pancreas, heart, lungs and brain. Although this rarely occurs, survivors of severe intoxication may suffer from permanent neurological damage. Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals: liver abnormalities, central nervous system damage, Overexposure to this material (or its components) has been suggested as a cause of the following effects in humans: visual impairment

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

Methanol has caused birth defects in laboratory animals, but only when inhaled at extremely high vapor concentrations. The relevance of this finding to humans is uncertain.

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	CAS-No.	Concentration
METHANOL	67-56-1	>=50-<60%

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

Notes to physician

Hazards: This product contains methanol which can cause intoxication and central nervous system depression. Methanol is metabolized to formic acid and formaldehyde. These metabolites can cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used to prevent methanol metabolism. Ethanol administration is indicated in symptomatic patients or at blood methanol concentrations above 20 ug/dl. Methanol is effectively removed by hemodialysis.

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

Treatment: No information available.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon dioxide (CO2), Water spray

Hazardous combustion products

carbon dioxide and carbon monoxide

Precautions for fire-fighting

Material is volatile and readily gives off vapors which may travel along the ground or be moved by ventilation and ignited by pilot lights, flames, sparks, heaters, smoking, electric motors, static discharge or other ignition sources at locations near the material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Water may be ineffective for extinguishment unless used under favorable conditions by experienced fire fighters. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks). Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

Other information

Comply with all applicable federal, state, and local regulations. Suppress (knock down) gases/vapours/mists with a water spray jet.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Ethylene oxide may accumulate in the headspace of shipping and storage containers and in enclosed areas where the product is being handled or used. Ethylene oxide is listed as carcinogenic by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) and the Occupational Safety and Health Administration (OSHA). Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.

Storage

Store in a cool, dry, ventilated area, away from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

METHANOL		67-56-1
ACGIH	time weighted average	200 ppm
ACGIH	Short term exposure limit	250 ppm
NIOSH	Recommended exposure limit (REL):	200 ppm
NIOSH	Recommended exposure limit (REL):	260 mg/m3
NIOSH	Short term exposure limit	250 ppm
NIOSH	Short term exposure limit	325 mg/m3
OSHA Z1	Permissible exposure limit	200 ppm
OSHA Z1	Permissible exposure limit	260 mg/m3

General advice

SAFETY DATA SHEET

Revision Date: 06/16/2011
 Print Date: 4/18/2012
 MSDS Number: 000000084846
 Version: 1.2

WINDSHIELD WASH PRE-MIX
 16008286

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects. This product may contain small amounts of ethylene oxide which could potentially accumulate in the headspace of shipping and storage containers and in enclosed areas where the product is being handled or used. Provide adequate ventilation to control exposures to within the OSHA permissible exposure limits of 1 ppm (TWA) and 5 ppm (STEL).

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.
 Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Form	no data available
Colour	no data available

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

Odour	no data available
Boiling point/boiling range	no data available
Melting point/range	no data available
Sublimation point	no data available
pH	no data available
Flash point	(>=)54.00 °F / 12.22 °C Tag closed cup
Ignition temperature	no data available
Evaporation rate	no data available
Lower explosion limit/Upper explosion limit	no data available
Particle size	no data available
Vapour pressure	169.316 hPa @ 77 °F / 25 °C Calculated Vapor Pressure
Relative vapour density	no data available
Density	0.863 g/cm3 >=7.190 lb/gal @ 68 °F / 20 °C
Bulk density	No data
Water solubility	no data available
Solubility(ies)	no data available
Partition coefficient: n-octanol/water	no data available
log Pow	no data available
Autoignition temperature	no data available
Viscosity, dynamic	no data available
Viscosity, kinematic	no data available
Solids in Solution	no data available
Decomposition temperature	no data available
Burning number	no data available
Dust explosion constant	no data available
Minimum ignition energy	no data available

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

Heat, flames and sparks.

Incompatible products

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

aluminum, Lead, sodium, Strong acids, strong bases, Strong oxidizing agents, Zinc, Peroxides

Hazardous decomposition products

carbon dioxide and carbon monoxide, formaldehyde

Hazardous reactions

Product will not undergo hazardous polymerization.

Thermal decomposition

No data

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

METHANOL : LD L0 Human: 300 mg/kg

Acute inhalation toxicity

METHANOL : LC 50 Rat: 64000 ppm; 4 h

Acute dermal toxicity

METHANOL : LD 50
Rabbit:
12,800 mg/kg

12. ECOLOGICAL INFORMATION

Biodegradability

METHANOL : 99 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Bioaccumulation

METHANOL : Species: Green algae (Chlorella fusca vacuolata)
Exposure time: 24 h
Dose: 0.05 mg/l

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

Bioconcentration factor (BCF): 28,400
Method: Static

Ecotoxicity effects

Toxicity to fish

METHANOL : 96 h static test LC 50 Rainbow trout, donaldson trout
(Oncorhynchus mykiss): 18,000.00 - 20,000.00 mg/l

Toxicity to daphnia and other aquatic invertebrates.

METHANOL : 48 h static test EC 50 Water flea (Daphnia magna): >
10,000.00 mg/l

Toxicity to algae

METHANOL : no data available

Toxicity to bacteria

METHANOL : no data available

Biochemical Oxygen Demand (BOD)

METHANOL : no data available

Chemical Oxygen Demand (COD)

METHANOL : no data available

Additional ecological information

METHANOL : no data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

UN 1992	Flammable liquids, toxic, n.o.s. (METHANOL)	3	(6.1)	II	
---------	---	---	-------	----	--

U.S. DOT - RAIL

UN 1992	Flammable liquids, toxic, n.o.s. (METHANOL)	3	(6.1)	II	
---------	---	---	-------	----	--

U.S. DOT - INLAND WATERWAYS

UN 1992	Flammable liquids, toxic, n.o.s. (METHANOL)	3	(6.1)	II	
---------	---	---	-------	----	--

TRANSPORT CANADA - ROAD

UN 1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)	3	(6.1)	II	
---------	--	---	-------	----	--

TRANSPORT CANADA - RAIL

UN 1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)	3	(6.1)	II	
---------	--	---	-------	----	--

TRANSPORT CANADA - INLAND WATERWAYS

UN 1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)	3	(6.1)	II	
---------	--	---	-------	----	--

INTERNATIONAL MARITIME DANGEROUS GOODS

UN 1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)	3	(6.1)	II	
---------	--	---	-------	----	--

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN 1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)	3	(6.1)	II	
---------	--	---	-------	----	--

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN 1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)	3	(6.1)	II	
---------	--	---	-------	----	--

SAFETY DATA SHEET

Revision Date: 06/16/2011
Print Date: 4/18/2012
MSDS Number: 000000084846
Version: 1.2

WINDSHIELD WASH PRE-MIX
16008286

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	1992	LIQUIDO INFLAMABLE, TOXICO, N.E.P. (METHANOL)	3	(6.1)	II
----	------	--	---	-------	----

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.	1,4-DIOXANE ETHYLENE OXIDE
WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	ETHYLENE OXIDE

SARA Hazard Classification

Fire Hazard
Acute Health Hazard
Chronic Health Hazard

SARA 313 Component(s)

METHANOL 54.31 %

New Jersey RTK Label Information

METHANOL 67-56-1
WATER 7732-18-5

Pennsylvania RTK Label Information

METHANOL 67-56-1
WATER 7732-18-5

Notification status

EU. EINECS y (positive listing)

SAFETY DATA SHEET

Revision Date: 06/16/2011
 Print Date: 4/18/2012
 MSDS Number: 000000084846
 Version: 1.2

WINDSHIELD WASH PRE-MIX
 16008286

US. Toxic Substances Control Act	y (positive listing)
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	y (positive listing)
Japan. Kashin-Hou Law List	y (positive listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	y (positive listing)
China. Inventory of Existing Chemical Substances	y (positive listing)

Reportable quantity - Product

US. EPA CERCLA Hazardous Substances (40 CFR 302) 9205 lbs

Reportable quantity-Components

METHANOL 67-56-1 5000 lbs

	HMIS	NFPA
Health	2*	2
Flammability	3	3
Physical hazards	0	
Instability		0
Specific Hazard	--	--

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO's Environmental Health and Safety Department (1-800-325-3751).