

Multi-Purpose Lithium

EP Grease



Multi-Purpose Lithium EP Grease is a preference for many users with multiple grease applications, operating at moderate load carrying capacities, pressure, and temperature ranges. It is an excellent choice where pumpability issues have been experienced. It has an excellent mobility number resulting in premium flow properties at extremely low temperatures.

This grease is fortified with an additive package that provides anti-wear protection, EP, rust, oxidation inhibition, and high copper corrosion resistance.

Multi-Purpose Lithium EP Grease employs environmentally safe chemistries free of halogens and heavy metals.

Features/Benefits

- Excellent EP properties
- Superior anti-wear protection
- Diverse range of applications
- Excellent pumpability
- Reduces wear
- Reverts rust and oxidation
- High copper corrosion resistance
- Applications include:
 - Industrial
 - Trucking
 - Agricultural
 - Automotive

Chemical Properties

Property	Standard	Value
NLGI Grade	NLGI	#2
Penetration @ 70°F W 60	ASTM D-217	280
Thickener Type	-	Lithium
Appearance	Visual	Amber
4-Ball, EP, Weld Point, kg	ASTM D-2596	200
Load Wear Index	ASTM D-2596	40
4-Ball Wear, mm scar	ASTM D-2266	0.6
Timken OK Load (lbs.)	ASTM D-2509	40
Rust Prevention	ASTM D-1743	Pass
Base Oil Viscosity, cSt @ 40°C	ASTM D-445	220
Water Spray-Off (% wt)	ASTM D-4049	20%
Mobility @ 60°F (gm/min)	U.S. Steel	500
Dropping point (°F)	ASTM D-2265	400